



COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

Inspection Date AUG 6, 98

Time Start _____

Time Finish _____

HAZARDOUS WASTE INSPECTION REPORT

☒ **GENERATOR**

☐ **S Q GENERATOR**

Company name E-Z Chemical I.D. Number PA0055427256

Site Address Laurel & Canal Sts.

County Phila Municipality Phila ZIP 19123

Name of Inspector PAUL ARNOLD

Name & Title of Responsible Official N/A

Person Interviewed N/A Telephone () _____

Mailing Address (if different from above) _____

Amount of Hazardous Waste Generated per Month: N/A Pounds _____ Kgs _____

1. Site Characterization:

STORAGE: ☐ Container ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad Other _____

PBR: ☐ Neutralization/WWTP ☐ Reclaim Other _____

Generator Treatment ☐ Containers ☐ Tanks ☐ Containment Bldg. ☐ Drip Pad

2. Universal Waste: ☐ Large Quantity Handler ☐ Small Quantity Handler

Universal Waste Types _____

3. Hazardous Waste Transporters:

Transporter Name N/A License Number _____

Transporter Name _____ License Number _____

Transporter Name _____ License Number _____

4. Types of hazardous waste generated and destination facility (location & type).

Waste Code	Waste Description	Destination Facility

Site Name E-2 Chemical ID Number PA005542736 Date AUG 6, 98

1 - No Violation Observed 2 - Not Applicable 3 - Not Determined 4 - Non Compliance

1 2 3 4

CHAPTER CIT.

LINE

Page 2 of 5

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

HAZARDOUS WASTE INSPECTION REPORT GENERATORS -- SMALL QUANTITY GENERATORS FACILITY SPECIFICS

Site Name E-Z Chemical Co ID Number PA055427256 Date AUG 6, 98

1 - No Violation Observed 2 - Not Applicable 3 - Not Determined 4 - Non Compliance

STATUS

1	2	3	4	REQUIREMENT	CHAPTER CIT.	LINE
				CONTAINERS (Subchapter I)		
	X			Containers managed in compliance with Chapter 265 Subchapter I	262.34	H025
	X			Containers of hazardous waste in good condition	265.171	H026
	X			Containers and stored waste compatible	265.172	H027
	X			Containers kept closed except during addition or removal of wastes	265.173	H028
	X			Containers managed to prevent leaks	265.173(b)	H029
	X			Containers labeled to accurately identify contents	265.173(c)	H030
	X			Container storage areas inspected at least weekly	265.174	H031
	X			Special requirements for ignitable or reactive and incompatible waste complied with	265.176, 265.177	H032
	X			Proper containment and collection systems in place	265.178(a)-(d)	H033
	X			All storage requirements for ignitable or reactive wastes and nonignitable or nonreactive wastes met	265.178(e)	H034
	X			Containers clearly marked with accumulation date and visible for inspection	262.34(a)(2)	H035
						H036
						H037
						H038
				TANKS (Subchapter J)		
	X			Tanks labeled "Hazardous Waste"	262.34(a)(4)	H039
	X			Written certification by registered professional engineer for proper tank (system) design and installation on file	265.192	H040
	X			Secondary containment provided for tanks (systems) as required	265.193	H041
	X			Tanks (systems) managed to prevent rupture, leak, corrode or fail	265.194	H042
	X			Tanks labeled to accurately identify contents	265.194(d)	H043
	X			Required inspections completed and documented in operating log	265.195	H044
	X			Release reported to Department within 24 hours, unless exempted	265.196	H045
	X			Special requirements for ignitable and reactive wastes followed	265.198	H046
	X			SQ Generator complies with 265.201	262.34(e)(3)	H047

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

**HAZARDOUS WASTE INSPECTION REPORT
GENERATORS -- SMALL QUANTITY GENERATORS
FACILITY SPECIFICS**

Site Name E-Z Chemical Co ID Number PH055427256 Date AUG 6, 98
1 - No Violation Observed 2 - Not Applicable 3 - Not Determined 4 - Non Compliance

STATUS

1 2 3 4

REQUIREMENT**CHAPTER CIT.****LINE**

				Containment Buildings (Subchapter T)		
				Building completely enclosed to prevent exposure to the elements	265.521(a)(1)	H048
				Meets special requirements if liquids present	265.521(b)	H049
				Primary barrier free of significant gaps, cracks and deterioration	265.521(d)(1)(i)	H050
				Level of hazardous waste within unit is below containment walls	265.521(d)(1)(ii)	H051
				Tracking of waste out of unit by equipment or personnel prevented	265.521(d)(1)(iii)	H052
				No visible dust emissions at doors, windows, vents, etc.	265.521(d)(1)(iv)	H053
				Professional engineer's certification placed in operating record	265.521(d)(2)	H054
				Required inspections performed and logged in operating record	265.521	H055
						H056
						H057
						H058
						H059
				Drip Pads (Subchapter S)		
				Engineer's certification of existing drip pads on file	265.501	H060
				Drip pad meets 265.503 design & operating standards	265.501	H061
				(a) nonearthen, sloped construction with berm to channel associated drippage to collection system	265.501(a)	H062
				(b) Has synthetic liner below the pad with properly constructed leak detection system	265.501(b)	H063
				Drip pads & collection system maintained to prevent deterioration	265.503(c)	H064
				Drip pads & collection systems designed to prevent run off	265.503(d)	H065
				Run-on/run-off control system maintained unless pad protected by a structure	265.503(e)	H066
				Release reporting requirements met	265.503(m)	H067
				Drip pads inspected weekly and after storms when in operation	265.504(b)	H068
						H069
						H070
						H071
						H072
						H073

COMMONWEALTH OF PENNSYLVANIA
DEPARTMENT OF ENVIRONMENTAL PROTECTION
BUREAU OF LAND RECYCLING AND WASTE MANAGEMENT

INSPECTION REPORT COMMENTS

Date of inspection AUG. 6 98 Identification Number PA0055427256
Company/Facility/Site Name E-2 - Chemical Co.

No longer operating at this location.

[Signature]

This inspection report is notice of the findings of an inspection conducted by a representative of the Department. This report is formal notification of any violations observed during the inspection. Additional notification of violations may be issued concerning either violations noted herein, or other violations identified as a result of review of laboratory analyses or Department records.

This report does not constitute an order or other appealable action of the Department. Nothing contained herein shall be deemed to grant or imply immunity from legal action for any violation noted herein.

Signature by the person interviewed does not necessarily imply concurrence with the findings on this report, but does acknowledge that the person was shown the report or that a copy was left with the person.

Person interviewed (signature) *[Signature]* Date *8/10*
Inspector (signature) *[Signature]* Date AUG 10, 98